

=====

Sequence Listing could not be accepted due to errors.
See attached Validation Report.
If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).
Reviewer: Durreshwar Anjum
Timestamp: [year=2008; month=10; day=15; hr=11; min=45; sec=54; ms=572;
]

=====

Reviewer Comments:
Organization Applicant

Street : 332 North Lauderdale Avenue
City : Memphis
State : TN
Country : USA
PostalCode : 38105
PhoneNumber : 901-495-2342
FaxNumber : 901-495-3148
EmailAddress : Scott.Elmer@stjude.org
<110> OrganizationName : St. Jude Children's Research Hospital

Organization Applicant

Street : 332 North Lauderdale Avenue
City : Memphis
State : TN
Country : USA
PostalCode : 38105
PhoneNumber : 901-495-2342
FaxNumber : 901-495-3148
EmailAddress : shawn.hawkins@stjude.org
<110> OrganizationName : St. Jude Children's Research Hospital

Individual Applicant

Street : 332 North Lauderdale Avenue
City : Memphis

State : TN
Country : USA
PostalCode : 38105
PhoneNumber : 901-495-2255
FaxNumber : 901-495-2270
EmailAddress : thomas.curran@stjude.org

<110> LastName : Curran
<110> FirstName : Thomas
<110> MiddleInitial :
<110> Suffix :

Please do not submit a PatentIn "prj" file. It is "work-in-progress" file only; you will need to submit a generated Sequence listing. To generate one, go to "Application Steps" on PatentIn main menu. Clic on "Generate Sequence Listing" and the click "Start" button. PatentIn will validate each sequence, hopefully you will see "Successful completion" in the white box above the "Start" button.

You can then view teh generated Sequence Listing by going to "Project" on main menu, and clicking on view/Print Sequence listing. A generated PatentIn Sequence Listing will have an "ST25" file extention.

For further assistance, please contact Mark Spencer at 571-272-2510

Application No: 10078927

Version No: 5.0

Input Set:**Output Set:****Started:** 2008-09-10 14:26:10.607**Finished:** 2008-09-10 14:26:20.340**Elapsed:** 0 hr(s) 0 min(s) 9 sec(s) 733 ms**Total Warnings:** 59**Total Errors:** 35**No. of SeqIDs Defined:** 0**Actual SeqID Count:** 0

Error code	Error Description
E 248	Order Sequence Error <110> -> <110>; Expected Mandatory Tag: <120> in Header
E 248	Order Sequence Error <110> -> <110>; Expected Mandatory Tag: <120> in Header
E 248	Order Sequence Error <110> -> <110>; Expected Mandatory Tag: <120> in Header
E 248	Order Sequence Error <110> -> <110>; Expected Mandatory Tag: <120> in Header
E 248	Order Sequence Error <110> -> <110>; Expected Mandatory Tag: <120> in Header
E 248	Order Sequence Error <110> -> <110>; Expected Mandatory Tag: <120> in Header
E 248	Order Sequence Error <110> -> <110>; Expected Mandatory Tag: <120> in Header
E 248	Order Sequence Error <110> -> <110>; Expected Mandatory Tag: <120> in Header
E 287	Invalid WIPO ST.2 date format; Use (YYYY-MM-DD) in <141>
E 248	Order Sequence Error <141> -> <213>; Expected Mandatory Tag: <210> in Header
W 402	Undefined organism found in <213> in SEQ ID (0)
E 202	Invalid input format; Value must be an integer in <400> SEQID: (0)
W 112	Upper case found in data; Found at position(0) SeqId(0)
W 112	Upper case found in data; Found at position(1) SeqId(0)

Input Set:

Output Set:

Started: 2008-09-10 14:26:10.607
Finished: 2008-09-10 14:26:20.340
Elapsed: 0 hr(s) 0 min(s) 9 sec(s) 733 ms
Total Warnings: 59
Total Errors: 35
No. of SeqIDs Defined: 0
Actual SeqID Count: 0

Error code	Error Description
W 112	Upper case found in data; Found at position(2) SeqId(0)
W 112	Upper case found in data; Found at position(3) SeqId(0)
W 112	Upper case found in data; Found at position(4) SeqId(0)
W 112	Upper case found in data; Found at position(5) SeqId(0)
E 310	Invalid sequence type in <212> in SEQID: (0)
E 248	Order Sequence Error <212> -> <211>; Expected Mandatory Tag: <213> in Header
E 202	Invalid input format; Value must be an integer in <211> in SEQ ID
E 248	Order Sequence Error <211> -> <221>; Expected Mandatory Tag: <212> in Header
E 257	Invalid sequence data feature in <221> in SEQ ID (0)
W 401	Unrecognized range formatin <222> in SEQID (0)
W 401	Unrecognized range formatin <222> in SEQID (0)
E 257	Invalid sequence data feature in <221> in SEQ ID (0)
W 401	Unrecognized range formatin <222> in SEQID (0)
W 401	Unrecognized range formatin <222> in SEQID (0)
E 248	Order Sequence Error <222> -> <213>; Expected Mandatory Tag: <400> in Header
W 402	Undefined organism found in <213> in SEQ ID (0)
E 202	Invalid input format; Value must be an integer in <400> SEQID: (0)
W 112	Upper case found in data; Found at position(0) SeqId(0)
W 112	Upper case found in data; Found at position(1) SeqId(0)
W 112	Upper case found in data; Found at position(2) SeqId(0)
W 112	Upper case found in data; Found at position(3) SeqId(0)

Input Set:

Output Set:

Started: 2008-09-10 14:26:10.607

Finished: 2008-09-10 14:26:20.340

Elapsed: 0 hr(s) 0 min(s) 9 sec(s) 733 ms

Total Warnings: 59

Total Errors: 35

No. of SeqIDs Defined: 0

Actual SeqID Count: 0

Error code	Error Description
W 112	Upper case found in data; Found at position(4) SeqId(0)
W 112	Upper case found in data; Found at position(5) SeqId(0)
W 112	Upper case found in data; Found at position(6) SeqId(0)
W 112	Upper case found in data; Found at position(7) SeqId(0)
W 112	Upper case found in data; Found at position(8) SeqId(0)
W 112	Upper case found in data; Found at position(9) SeqId(0)
W 112	Upper case found in data; Found at position(10) SeqId(0)
W 112	Upper case found in data; Found at position(11) SeqId(0)
W 112	Upper case found in data; Found at position(12) SeqId(0)
W 112	Upper case found in data; Found at position(13) SeqId(0) This error has occurred more than 20 times, will not be displayed
E 310	Invalid sequence type in <212> in SEQID: (0)
E 248	Order Sequence Error <212> -> <211>; Expected Mandatory Tag: <213> in Header
E 202	Invalid input format; Value must be an integer in <211> in SEQ ID
E 248	Order Sequence Error <211> -> <221>; Expected Mandatory Tag: <212> in Header
E 257	Invalid sequence data feature in <221> in SEQ ID (0)
W 401	Unrecognized range format in <222> in SEQID (0)
W 401	Unrecognized range format in <222> in SEQID (0)
E 257	Invalid sequence data feature in <221> in SEQ ID (0)
W 401	Unrecognized range format in <222> in SEQID (0)
W 401	Unrecognized range format in <222> in SEQID (0)
E 248	Order Sequence Error <222> -> <213>; Expected Mandatory Tag: <400>

Input Set:

Output Set:

Started: 2008-09-10 14:26:10.607
Finished: 2008-09-10 14:26:20.340
Elapsed: 0 hr(s) 0 min(s) 9 sec(s) 733 ms
Total Warnings: 59
Total Errors: 35
No. of SeqIDs Defined: 0
Actual SeqID Count: 0

Error code	Error Description
W 402	Undefined organism found in <213> in SEQ ID (0)
E 202	Invalid input format; Value must be an integer in <400> SEQID: (0)
E 310	Invalid sequence type in <212> in SEQID: (0)
E 248	Order Sequence Error <212> -> <211>; Expected Mandatory Tag: <213> in Header
E 202	Invalid input format; Value must be an integer in <211> in SEQ ID
E 248	Order Sequence Error <211> -> <221>; Expected Mandatory Tag: <212> in Header
E 257	Invalid sequence data feature in <221> in SEQ ID (0)
W 401	Unrecognized range formatin <222> in SEQID (0)
W 401	Unrecognized range formatin <222> in SEQID (0)
E 257	Invalid sequence data feature in <221> in SEQ ID (0)
W 401	Unrecognized range formatin <222> in SEQID (0)
W 401	Unrecognized range formatin <222> in SEQID (0)
E 248	Order Sequence Error <222> -> ; Expected Mandatory Tag: <400> in

Organization Applicant

Street : 332 North Lauderdale Avenue

City : Memphis

State : TN

Country : USA

PostalCode : 38105

PhoneNumber : 901-495-2342

FaxNumber : 901-495-3148

EmailAddress : Scott.Elmer@stjude.org

<110> OrganizationName : St. Jude Children's Research Hospital

Organization Applicant

Street : 332 North Lauderdale Avenue

City : Memphis

State : TN

Country : USA

PostalCode : 38105

PhoneNumber : 901-495-2342

FaxNumber : 901-495-3148

EmailAddress : shawn.hawkins@stjude.org

<110> OrganizationName : St. Jude Children's Research Hospital

Individual Applicant

Street : 332 North Lauderdale Avenue

City : Memphis

State : TN

Country : USA

PostalCode : 38105

PhoneNumber : 901-495-2255

FaxNumber : 901-495-2270

EmailAddress : thomas.curran@stjude.org

<110> LastName : Curran

<110> FirstName : Thomas

<110> MiddleInitial :

<110> Suffix :

Individual Applicant

Street : 332 North Lauderdale Avenue

City : Memphis

State : TN

Country : USA

PostalCode : 38105

PhoneNumber : 901-495-4801

FaxNumber : 901-495-2270

EmailAddress : lakhu.keshvara@stjude.org

<110> LastName : Keshvara

<110> FirstName : Lakhu

<110> MiddleInitial :

<110> Suffix :

Application Project

<120> Title : Cyclin Dependent Kinase 5 Phosphorylation of Disabled 1 Protein

<130> AppFileReference : SJ-01-0032
<140> CurrentAppNumber : 10/078,927
<141> CurrentFilingDate : 2002-02-19

Sequence

<213> OrganismName : Mus musculus

<400> PreSequenceString :

QSSPSK

6

<212> Type : PRT

<211> Length : 6

SequenceName : Seq ID#1

SequenceDescription :

Feature

Sequence: Seq ID#1:

<221> FeatureKey : SITE

<222> LocationFrom : 3

<222> LocationTo : 3

Other Information : Serine at residue #3 equates to Serine491 in mouse Dab1 sequence

Cdk5 phosphorylation of Serine requires a Proline (P) in the +1 position and a Lysine (K) in the +3 position

CDSJoin : No

Feature

Sequence: Seq ID#1:

<221> FeatureKey : DOMAIN

<222> LocationFrom : 1

<222> LocationTo : 6

Other Information : smallest carboxy terminal Dab1 tryptic fragment containing a Cdk5 phosphorylation site

CDSJoin : No

Sequence

<213> OrganismName : Mus musculus

<400> PreSequenceString :

SSASHVSDPT ADDIFEEGF SPSK

24

<212> Type : PRT

<211> Length : 24

SequenceName : Seq ID#2

SequenceDescription :

Feature

Sequence: Seq ID#2:

<221> FeatureKey : SITE

<222> LocationFrom : 21

<222> LocationTo : 21

Other Information : Serine at Residue 21 equates to Serine515 in mouse Dab1 sequence

Cdk5 phosphorylation of Serine requires a Proline (P) in the +1 position and a Lysine (K) in the +3 position

CDSJoin : No

Feature

Sequence: Seq ID#2:

<221> FeatureKey : DOMAIN

<222> LocationFrom : 1

<222> LocationTo : 24

Other Information : Dab1 tryptic fragment containing a Cdk5 phosphorylation site

CDSJoin : No

Sequence

<213> OrganismName : Mus musculus

<400> PreSequenceString :

TPAPRQSSPS KSSA

14

<212> Type : PRT

<211> Length : 14

SequenceName : Seq ID#3

SequenceDescription :

Feature

Sequence: Seq ID#3:

<221> FeatureKey : MOD_RES

<222> LocationFrom : 8

<222> LocationTo : 8

Other Information : PHOSPHORYLATION, equates to Serine491 in mouse Dab1 sequence

Cdk5 phosphorylation of Serine requires a Proline (P) in the +1 position and a Lysine (K) in the +3 position

CDSJoin : No

Feature

Sequence: Seq ID#3:

<221> FeatureKey : DOMAIN

<222> LocationFrom : 1

<222> LocationTo : 14

Other Information : Dab1 phosphopeptide domain used for antibody production

CDSJoin : No